No.F 1054/1877

The numerical data of this diagram are sufficiently consistent.

(Sgd.) L. Marquard.
Examiner.

	SIDES Roods		ANGLES ° ' "
ab	1468.60	a	134.49.30
bc	2092.88	b	108.44.10
cd	2597.85	c	90.10.30
de	1888.51	d	95.31.00
ea	1557.21	e	110.44.50



The farm....Wolf Werf.....No 23.....
CARNARVON.

1000 500 0 1000 2000 3000 4000 5000
CAPE ROODS

The above Diagram a.b.c.d.e. represents the Farm WOLF WERF containing 10278 Morgen and 336 Square Roods, situated in the Field-cornetcy No. 5 Division of CARNARVON.

Bounded N. by Boschmansberg,

S. " Blink Klip,

E. " Jongens Kop,

W. " Kameel Booms Puts.

Copied from General Plan framed by Mr Surveyor F.S. Watermeyer.

Copied from diagram
to Title..... Deed No. Car. Q6-30
dated.....12.9.1891.....
M.Jardine
Asst Surveyor-General
.....12.10.1966

(Sgd.) W.C. Kuys.
Chief Draftsman.
September, 1890

SHEET EK - 1

* For list of deductions see back of diagram

C
JB/SH

THE FOLLOWING DEDUCTIONS HAVE BEEN MADE FROM THIS DIAGRAM.

Survey Records.	Diag. No.	Subdivision.	Area. Morg.	Area. S.Rds.	Deed.
	F385/1919	Krans Kop (Farm 12 Fraserburg)	2448	106	1919.83.5328

8056177

K.G.

SYE Meter		RIGTINGS -HOEKE		KOÖRDINATE Y Stelsel X
AB	9624,0	A	69·43·~~66~~ 68	
BC	11672,5	B	201·59·40	
CD	12944,7	C	41·50·30	
FA	7871,6			

*

	Figuur	Beskrywing.	Kaart Nr	Transportakte.
1.	AghjF	Ged 2 van Thomas Pan 38.	A 3810/1923.	1925·228·10745.
2.	gBCDEFjh	Restant Thomas Pan 38.	552/1859.	V.W. Q. 8. 6. V.W. L. 2. 151.

Die figuur ABCDEF

stel voor 12850,2412 Hektaar. grond, synde

Gedeelte 3 van die plaas Thomas Pan 38, Carnarvon. en bestaan uit *

geleë in die Administratiewe Distrik

van Carnarvon, Provinsie Kaap die Goeie Hoop.

~~Saamgestel~~ ~~Opgemeet~~ in September 1977.

deur my,

Landmeter

Hierdie kaart is geheg aan	Die oorspronklike kaart is.	Lêer No. Carn. 38
S.V.T. No. 19769/78 gedateer	soos hierbo vermeld *	M.S. No. Saamgestel.
t.g.v.	~~No.~~ ~~geheg aan~~ ~~Transport/Grondbrief~~ ~~No.~~	Komp. EL-3(5269)
Registrateur van Aktes		

L.G. No. F 8056/77

Goedgekeur

K. Goedhart

n. Landmeter-generaal

29-9-1977



VIR ENDOSSEMENTE SIEN KEERSY VAN KAART

38/3

THE FOLLOWING DEDUCTIONS HAVE BEEN MADE FROM THIS DIAGRAM						
SURVEY RECORD	DIAGRAM NO.	SUBDIVISION	AREA HA./SQ. M.	TRANSFER NO.	INITIALED	REMDR.
E.2119/78	8052/78	Ged. 4	6482, 8674	16623/79		

SYE Meter		RIGTINGS -HOEKE		KOÖRDINATE Stelsel 23 Y	X
		Konstante		0,00	+3300 000,00
AB	7201,05	312 19 16	A	+ 80 906,76	+ 59 569,06
BC	8214,44	50 39 27	B	+ 75 582,44	+ 64 417,43
CD	7871,39	122 27 52	C	+ 81 935,24	+ 69 625,01
DA	9634,47	232 45 25	D	+ 88 576,52	+ 65 399,82
		Eckards Puts	△	+ 84 551,66	+ 64 780,10
		Gannapan	△	+ 78 511,90	+ 59 353,07

L.G. No. 8052/78

Goedgekeur

Landmeter-generaal

24 -1- 1979

Beskrywing van Bakens:

A	Klipstapel
B	Ysterdraadhoekpaal
C,D	Houtdraadhoekpaal



Skaal: 1/100 000

Die figuur A.B.C.D

stel voor 6482,8674 Hektaar grond, synde

GEDEELTE 4 ('n gedeelte van Gedeelte3) van die plaas THOMAS PAN NR 38

geleë in CARNARVON Administratiewe Distrik

Provinsie Kaap die Goeie Hoop.

Opgemeet in November 1978

deur my,

Landmeter

Hierdie kaart is geheg aan V.T. No. 16623/79 gedateer t.g.v. Registrateur van Aktes	Die oorspronklike kaart is. No. F 8056/77 geheg aan ~~Transport/Grondbrief~~ S.V.T. No. 19769/78	Lêer No. Carn.38 M.S. No. E.2119/78 Komp. EL-3 (5269)

Ref. 324(A) Waltons Stationery Co.

38/4

S.G. Dgm. No. F 399/1894.

The numerical data of this diagram are sufficiently consistent.
(Sgd) J.J. Bosman.
Examiner.

Data according to Beacons.							
Sides. C.R.		Angles.		Co-ordinates.			
AB'	2952 · 80	A'	89 · 47 · 20	A'	+ 1647 · 17		15 · 18
BC'	994 · 14	B'	96 · 54 · 30	B'	+ 628 · 34	-	2786 · 66
CD'	3094 · 49	C'	90 · 41 · 50	C'	- 339 · 24	-	2558 · 38
DA'	1396 · 60	D'	82 · 36 · 20	D	+ 334 · 57	+	461 · 85

Area - 6000 Mor.

Data of Transfer.			
Sides. C.R.		Angles.	
AB	2950 · 05	A	89 · 49 · 30
BC	994 · 62	B	96 · 53 · 10
CD	3092 · 23	C	90 · 43 · 10
DA	1396 · 71	D	82 · 34 · 10



Portion 1 (...)
(a portion of Portion ...) of the farm
Bottel Put No 48
CARNARVON

Scale: 400 Cape Roods - 1 Inch.

The above Diagram A B C D represents 5996 Morgen 260 Square Roods of Land, situate in the Field Cornetcy of No.5, Division of CARNARVON.
Being Portion of the Farm called "BOTTEL PUT" originally granted to Johannes Nicolass Vos, on the 17th November, 1873.

Bounded North by Thomas Pan.
East " Naauwte.
South " The Remainder.
West " Boezak's Vlei.

Framed from actual Survey by me,
(Sgd) Garwood Alston.
Govt. Surveyor.
March, 1894.

Sheet EL - 3

Copied from the diagram relating to
Transfer ... No. 975
dated 1st March, 1895. ... in favour of
Pieter C. Moller.
R Trudhope
SURVEYOR-GENERAL
28-12-88 CAPE TOWN.

M.B.

ONDERV... GSELINGSKAART
Art. 25 (1), (2) en (3), 9 van 1927

	SYE Kaapse Voet	RIGTINGS-HOEKE		STELSEL L° 23 KO-ORDINATE y	x
		Korstant		+ 200.000	+ 10670.000
AB	12822.6	257° 6' 7"	A	+ 34925.8	+ 43394.1
BC	23827.4	347.47.46	B	+ 22426.7	+ 40531.9
CD	12342.3	73. 30. 41	C	+ 17389.8	+ 63820.8
~~DE~~ Afdelt.	7773.5	158. 8. 40	D	+ 29224.5	+ 67323.9
EF	4421.9	154. 37. 30	E	+ 32117.7	+ 60110.5
FG	3925.3	177. 22. 10	F	+ 34012.7	+ 56115.2
GH	3768.1	176. 31. 0	G	+ 34192.8	+ 52194.0
HJ	2170.5	168. 44. 20	H	+ 34421.8	+ 48432.9
JA	2911.2	178. 25. 30	J	+ 34845.7	+ 46304.2
AX	24313.5	77. 6. 7	X	+ 58625.8	+ 48821.4
DY	20269.2	73. 30. 41	y	+ 48660.2	+ 73076.8

F No. 4578/54

Goedgekeur.

P.J.L. van den Heuvel

vir Landmeter-Generaal.
18-5-1954



— Baken Beskrywing —

A D E F :- is 15½" gyster penne onder klipstapels
B :- is in ½" gyster pen onder in klipstapel 2½" oost van in gyster hoek draad paal
C :- is in klipstapel 5' wyden 4' hoog
G. H. J. :- is sneezewood pale en aandaidings merke 15'
x :- is in " " paal.
y :- is in gyster spoorstaaf

Skaal 1: 100.000

Die figuur A.B.C.D.E.F.G.H.J.

stel voor 3797.9135 Morge grond, synde

— Ged 2. —

van die plaas Bottel Pat

geleë in die Afdeling Carnarvon Provinsie Kaap die Goeie Hoop

Opgemeet in March 1954 deur ons ~~my~~

en in Des. 1950

Landmeters

Hierdie kaart is geheg aan T/A 8571/52

Die oorspronklike kaart is No. geheg aan G/B. V.W.Q. 4.9. (VW L1B 72)

Lêer No. 282/14.
M.S. No. E. 632/52.
EL-385

Registrateur van Aktes.

S.P.C.T. 8 7347

Gedeelte 2 (.....)
(n gedeelte van Gedeelte .....) van die plaas
Bottel Put Nr. 48
CARNARVON

SYE Kaapse Voet		RIGTINGS-HOEKE			STELSEL No. 20 21 KO-ORDINATE y		x
					- 100000·0		+ 10620000·0
AB	9336·7	232	13	50	A - 56312·9	+	58649·0
BC	17923·8	309	5	39	B - 63693·4	+	52930·4
CD	7305·8	24	29	32	C - 77604·2	+	64233·1
DE	21527·3	81	32	35	D - 74575·4	+	70881·5
EA	15693·8	191	8	5	E - 53282·2	+	74047·4
		Groot Kolk II			Δ - 63694·2	+	52935·1

L. G. No. F 2034/41

Goedgekeur
L. M. Walton.
Landmeter-generaal.

Inlassing



Gedeelte 3 van Isaacs Kolk



Beskrywing van Bakens.

A D en E is klipstapels 3'x 3' oor ysterpenne
B is 'n yster hoekpaal
C is 'n klipstapel 5' x 3'

Gedeelte 2 (Goei Hoop)
('n ~~gedeelte~~ van Gedeelte) van die plaas
Groot Kolk Nr 57
CARNARVON



Die figuur A B C D E
stel voor 3702·0972 Morge grond synde

Gedeelte 3 (Goeie Hoop)

van die Plaas GROOT KOLK

geleë in die Afdeling CARNARVON Provinsie Kaap die Goeie Hoop.

Opgemeet in Mei 1941 deur my

Landmeter.

Hierdie Kaart is geheg aan Akte van Transport No 162, gedateer 14.1.1942. ten gunste van P.A. van Wyk.

Registrateur van Aktes.

Die oorspronklike Kaart is
785/1870 geheg aan
Car. Q. 7. 28
Car. L. 1. 32.

L. G. Lêer No. S. 15052
Meetstukke No. E. 630/41.
Sheet EK 4

A. S. EN S. PER. KAAPSTAD.

57/2



Cape Roods.

F

NO. B 786/1870.

The numerical data of this diagram are sufficiently consistent.
(Sgd.) L. Marquard.
Examiner.

SIDES			ANGLES	
	Cape Roods	Eng. Feet		o ' "
AB	1213.22	15039.1	A	78.52.20
BC	1578.90	19572.0	B	172.50.10
CD	1731.59	21464.8	C	99.51.40
DE	1422.48	17633.0	D	131.19.30
EF	1424.43	17657.2	E	143. 3.20
FG	656.77	8141.4	F	78.10.40
GA	2482.80	30776.8	G	195.52.20

The Figure, A - G represents the Crown Land Farm called Moffy's Dam containing 11523 Morgen 30 Sq. Roods of Land, situate in the Division of Carnarvon Field-cornetcy No. V and

bounded N.E.^{wd} by De Riet and Issacs Kolk
N.W.^{wd} by Riet Kop's Kolk
S.W.^{wd} by Vertrap Kolk and
S.E.^{wd} by Groot Kolk

Surveyed by me,
(Sgs.) Sam. Melvill.
Govt. Surveyor.
Nov. 1870

THE FARM Moffy's Dam No 58
CARNARVON

Roads & Rivers sketched
Beacons pointed out to H.A.D. Blaauw F.C.
Area in English Measure = 24388.997 Acres
Estimated Latitude 30° 20' 10"
Longitude 21 22 10

Copied from diagram relating
to Title Deed No. Car.Q.7-2
dated 18.9.1891
28.10.1963
JT/MF

S.G. Dgm. No. 312/1894.

F 312/1894

Part 2:(For Figure see Part 1)

Sides		Angles		Co-ordinates		
Data according to Beacons.			o ' "			
ab	655.63	a	177.52.40	a	+ 1004.06	- 239.32
bc	1421.94	b	78. 8.40	b	+ 1365.38	- 786.39
cd	610.14	c	123.15.20	c	+ 43.19	- 1309.58
de	1183.90	d	105.40.50	d	- 455.65	- 958.27
ef	778.56	e	109.43.40	e	- 60.96	+ 157.90
fa	492.53	f	125.18.50	f	+ 717.59	+ 161.32

Area 2868 Morgen 327½ Square Roods.

Data for Transfer

Sides		Angles	
a'b	581.94	a'	177.50.40
b'c	1424.43	b'	78.10.40
cd	610.14	c	123.15.20
de	1183.90	d	105.40.50
ef	778.56	e	109.43.40
fa'	566.76	f	125.18.50

The above Diagram lettered a.b.c.d.e.f. represents 2871 Morgen 130 Square Roods of Land, situated in the Division of Carnarvon Field-cornetcy of Number 5 being the farm called Lot A of the subdivided farm "Moffys Dam" originally granted to C.P. Pieters and others on the 18th September 1891.

Bounded NW by Riet Kops Kolk
S " Lot B
NE & E " Remaining extent
SW " Vertrap Kolk and Lot B

Surveyed by me,

(Sgd) Garwood Alston.
Government Surveyor.

Portion 1 (a portion of Portion .....) of the farm Moffy's Dam No 58
CARNARVON

Transfer ____ 876
25th February 1895
Christiaan R. Liebenberg.

28-12-1895

M.J.
58/1

F 312/1894

The numerical data of this diagram are sufficiently consistent.
S.G.Dgm.No 31 2/1894. (Sgd) J.J. Bosman.
Examiner.

Part 1:(For data see Part 2)

NB The discrepancy between diagrams of Original Survey and present survey is too small to show on this diagram.



Scale 4·00 Cape Roods - 1 Inch.

Portion 1 ( ) farm
(a portion of ...
Moffy's Dam No 58
CARNARVON

Copied from the diagram relating to
Transfer 876
25th February 1895
Christiaan R. Liebenberg.

M.J.
58

F 2368/1934.

Approved

A J H Simons
Surveyor-General.
7-7-1934

	SIDES Cape Feet		ANGLES OF DIRECTION ° ' "		SYSTEM Lo. 21° y CO-ORDINATES x
					Constant to be added.
					- 147000.0 + 10 690 000.0
	ab	24970.8	326 8 12	a	- 21222.1 + 14828.0
	bc	23420.1	78 47 45	b	- 35136.2 + 35563.0
	cd	6883.0	98 37 20	c	- 12162.5 + 40113.7
	de	3843.0	211 46 40	d	- 5368.4 + 39042.4
AH	ef	16024.8	217 38 38	e	- 7387.3 + 35775.5
	fa	9197.6	206 6 40	f	- 17174.3 + 23087.0
	bg	1732.4	326 8 10	g	- 36101.5 + 37001.5
AH	dh	9934.8	31 46 47	h	- 131.2 + 47487.7

Description of beacons
"a" is a cairn 5 ft base 5 ft high
"b" is a monolith 9"x7" projecting ½ ft
+ surrounded by a cairn 2ft x 2ft.
"c" is a cairn 3½ ft x 3½ ft over iron peg
"d" is a monolith 8"x7" projecting 1 ft
"e" is a cairn 3½ ft x 3½ ft
"f" is an iron fencing post surrounded by a cairn 3 ft x 3 ft



Portion 1 (Dubbelde Vlei Noord
(a portion of Portion) of the farm
Dubbelde Vlei No. 6
CARNARVON

The figure a.b.c.d.e.f. *represents* 4019·8762 *Morgen Square Feet of land, called*

DUBBELDE VLEI NOORD

portion of Dubbelde Vlei *which is referred to hereunder,*
situate in the Field Cornetcy of *DIVISION of* Carnarvon
PROVINCE of CAPE of GOOD HOPE.

Surveyed in June 1934. *by me* J.M. Logan *Land Surveyor.*

This diagram is annexed to Transfer *Deed* No. 7522 *dated* 28.8.1934 *in favour of* H.P. Lotriet

Registrar of Deeds.

The original diagram is No. 196/1873 *annexed to* title *Deed No.* (K.M.O. 3.169) *dated* 29/6/1876. *in favour of* D.F.J. Louw.

S.G. File No.
Survey Records No. E 625/1934

FORM Q.

C

ANDREWS, WATT & NEL, PROFESSIONELE LANDMETERS, WORCESTER

DIAGRAM VIR VERENIGDE TITEL

L.G. No. 1854/2009

Goedgekeur

n. Landmeter-generaal

2010.01.15

VEL 1 VAN 3 VELLE



Die figuur ABCDEFGHJKLMNPQRST stel voor 6558,0499 hektaar grond, synde Gedeelte 9 van die plaas Jagersberg No. 72, en bevat :

(1) Die figuur ABCDEFGHJKabcT, synde
Gedeelte 8 (van 6) van die plaas Jagersberg No. 72.
Sien Kaart No. 1853/2009; T/A

(2) Die figuur NPQRSTcbaLM, synde
Gedeelte 7 (van 6) van die plaas Jagersberg No. 72.
Sien Kaart No. 125/2001, T/A 45586/2001

Geleë in Kareeberg Munisipaliteit
Administratiewe Distrik Carnarvon; Provinsie Noord - Kaap

Saamgestel in November 2009
deur my,

A.J. Nel
PROFESSIONELE LANDMETER (P.L.S. 0436)

Hierdie kaart is geheg aan S.V.T. No. gedateer t.g.v. Registrateur van Aktes	Die oorspronklike kaarte is soos hierbo aangehaal	Lêer No. CARN.72 M.S. No. Saamgestel Komp. : EK-6 (5264) EK-8 (5266)

SURVEYOR-GENERAL 09/12/08 FEES RECEIVED R230.00 BLOEMFONTEIN

Wet/Act 70/1970 No. 44566 d.d. 2009-08-26

Goedgekeur kragtens Artikel 49 van Wet 7 van 1998 NK Beplanning en Ontwikkelings Wet Verw: 18.4.1.2 Datum: 2009-11-16

Gedeelte 9 van die plaas Jagersberg No. 72
Geleë in Kareeberg Munisipaliteit
Administratiewe Distrik Carnarvon; Provinsie Noord - Kaap

L.G. No. 1854/2009

Goedgekeur

n. Landmeter-generaal

2010.01.15

VEL 2 VAN 3 VELLE

Inlas 1
Skaal 1:2500



Inlas 2
Skaal 1:500



Inlas 3
Skaal 1:300



Inlas 4
Skaal 1:100 000



Inlas 5
Skaal 1:2500



Saamgestel in November 2009 deur my

A.J. Nel
PROFESSIONELE LANDMETER (P.L.S.0436)

L.G. No. 1854/2009

Goedgekeur

n. Landmeter-generaal

2010.01.15

VEL 3 VAN 3 VELLE

Serwitute :

1. Die sirkel geletter R2 stel voor 'n serwituut opgaardam. Sien Kaart No. 1853/2009; Transportakte No.
2. Die gebroke lyn DZ stel voor die hartlyn van 'n serwituut pyplyn 10,00 meter wyd, vanaf die grense geletter CDEF tot by die serwituut opgaardam R2. Sien Kaart Nr. 1853/2009; Transportakte No.
3. Die gebroke lyn A1B1 stel voor die hartlyn van 'n serwituut pyplyn 10,00 meter wyd, vanaf punt A1 tot by die grens CD, behalwe waar dit beperk word deur die serwituut opgaardam R2. Sien Kaart No. 1853/2009;Transportakte No.
4. Die sirkels by X,Y & C1 stel elk voor die middelpunt van 'n serwituut van wateronttrekking, met straal van 3,00 meter. Sien Kaart Nr. 1853/2009; Transportakte No.
5. Die sirkels by R1 & R3 stel elk voor 'n serwituut opgaardam. Sien Kaart No. 1853/2009; Transportakte No.
6. Die gebroke lyn YD stel voor die hartlyn van 'n serwituut pyplyn 10,00 meter wyd, vanaf punt Y tot by die grense CDEF. Sien Kaart NO. 1853/2009; Transportakte No.
7. Die gebroke lyn WX stel voor die hartlyn van 'n serwituut pyplyn 5,00 meter wyd, tot by serwituut opgaardam R1. Sien Kaart No. 1853/2009; Transportakte
8. Die gebroke lyn UV stel voor die hartlyn van 'n serwituut pyplyn 10,00 meter wyd, vanaf punt U tot by die grens BC, behalwe waar dit beperk word deur die serwituut opgaardam R1. Sien Kaart No. 1853/2009; Transportakte
9. Die gebroke lyn C1D1E1 stel voor die hartlyn van 'n serwituut pyplyn 5,00 meter wyd, vanaf punt C1 tot by die grens JK, behalwe waar dit beperk word deur die serwituut opgaardam R3. Sien Kaart No. 1853/2009; Transportakte
10. Die stippellyn geletter gh stel voor die hartlyn van 'n serwituutpad 5,00 m wyd, oor die Restant van Ged. 6. Sien Kaart No. 1853/2009; Transportakte
11. Die gebroke lyn rs stel voor die middellyn van 'n serwituut reg van oorpad, 5,00 meter wyd oor die Restant van Ged. 6. Sien Kaart Nr. 125/2001; T/A 45586/2009I
12. M is die middelpunt van 'n serwituutgebied van watersuiping met straal van 230,00 meter, * Sien Kaart No. 125/2001; Transportakte No. 45586/2009I

* oor die Restant van Gedeelte 6.

Gedeelte 9 van die plaas Jagersberg No. 72
Geleë in Kareeberg Munisipaliteit; Administratiewe Distrik Carnarvon
Provinsie Noord - Kaap

Saamgestel in November 2009
deur my,

A.J. Nel
PROFESSIONELE LANDMETER (P.L.S. 0436)

S.G. Dgm. No. F 2442/1899.

The numerical data of this diagram are sufficiently consistent.
(Sgd) J.J. Bosman.
Examiner.

Co-ordinates.		
A	+ 0.00	+ 0.00
B	+ 0.00	+ 2996.03
C	+ 776.40	+ 3249.47
D	+ 701.03	+ 520.42

Sides.		Angles.	
AB	2996.03	A	53° 24' 40"
BC	816.72	B	108° 4' 40"
CD	2730.09	C	70° 20' 20"
DA	873.08	D	128° 10' 20"



The above Diagram, lettered A B C D represents 3500 Morgen of Land; Being the Farm "VLAK LEEGTE" Part of SCHIET KOLK, situate in the Field-cornetcy of Ward No.3. and Division of CARNARVON. Granted to Frederick Johannes Olwage on the 24th October, 1882.

Bounded Northwest by The Remainder of Schiet Kolk.
Northeast " Karree Kloof.
Southeast " The Farm Witgras.
Southwest " The Farm Uitspan Kolk.

Framed from actual survey by me,
(Sgd) Gert Greeff.
Govt. Land Surveyor.
July, 1899.

Sheet BK 8

Copied from the diagram relating to
Transfer ~~Title Deed~~ No. 7550
18th September, 1899
Jacob C. Kruger.
for SURVEYOR-GENERAL,
17 JAN 1955 CAPE TOWN.

I.G.

F 4083/1938

Goedgekeur

Landmeter - Generaal.

- 9 11 1938

GNDT. MEDEDELINGSKAART
Art. 24 (a), Wet No. 9 van 1927

No 4083/1938

	SYE. Kaapse Voete.	HOEKE. '		KO-ORDINATE. L° 21 y	x
				Konstant	
				− 153000.0	+10767000.0
AB	14205.3	321. 40. 46	A	− 38508.4	+ 39902.7
BC	9551.0	350. 42. 50	B	− 47316.5	+ 51047.5
CD	9105.8	356. 35. 45	C	− 48857.7	+ 60473.3
DE	~~11790.6~~ ~~11787.4~~	~~19. 14. 13~~ ~~19. 11. 27~~	D	− 49398.4	+ 69563.0
EF	8388.5	82. 11. 40	E	− 45513.7	+ 80695.3
FG	6305.6	124. 19. 0	F	− 37202.9	+ 81834.4
GH	38612.4	188. 56. 57	G	− 31994.9	+ 78279.5
HA	558.5	245. 11. 11	H	− 38001.4	+ 40137.1

T. N.



Beskrywing van bakens:

A. Klipstapel 5'x 5'

B.D.E.G. Yster hoekpale, bo rooi gewerf en versekeringsmerke.

C. Houtpaal, bo rooi gewerf omring deur 'n klipstapel en versekeringsmerke.

F. Klipstapel 4'x 4'.

H. Klipstapel 3'x 3' oor ysterpen en versekeringsmerke.

Gedeelte 2 (Hondeblaf Oos)

(~~'n gedeelte v.~~ Gedeelte) van die plaas

Honde Blaf Nr. 493

CARNARVON

Portion ( )

(a portion of Portion) of the farm Nou Gedeelte 2 (Hondeblaf Oos)

No Van die plaas Honde-Blaf

CARNARVON

8000 0 8000 16000 24000 32000 40000 K.V.

Skaal: 1 in ...100000... ~~Kaapse Voete~~

Die figuur A. B. C. D. E. F. G. H. stel voor 5631. 9387 Morge grond genoem

X. HONDEBLAF OOS

gedeelte van Hondeblaf waarna hieronder verwys word.

geleë in die AFDELING CARNARVON PROVINSIE KAAP die GOEIE HOOP.

Opgemeet in Mei. 1938. deur my.

Landmeter.

Hierdie kaart is geheg aan Verdelings Transport Akte.
No. 4568 gedateer 8 Mei, 1939
ten gunste van J. H. de Klerk

Registrateur van Aktes

Die Oorspronklike Kaart is No 1273. 1876
geheg aan ~~Transport Akte~~ Grondbrief No. V. W. Q. 8-16.
ten gunste van C. J. de Klerk.
gedateer. 7. Augustus. 1878.
(V.W.L II° 165)

S13768
F. 990/1938
BEACONS ACKNOWLEDGED

FOR ENDORSEMENTS
SEE BACK OF DGM.

							Rem. Morg.
E 931/62	3137/62	Ptn 4	2615·9640	-	16920/62	23 11 62	3015.9747

G gekeur.

1944 Landmeter - Generaal

F 6644/1938

SYE Kaapse Voete		Rigtingshoeke		KO - ORDINATE y SISTEEM Lo.21° x	
		° ' "			
AB	30949.8	8 . 56 . 57	A	- 36809.4	+ 47706.5
BC	6372.7	108 . 39 . 20	B	- 31994.9	+ 78279.5
CD	18380.5	159 . 54 . 10	C	- 25957.0	+ 76241.1
DE	5029.4	283 . 33 . 30	D	- 19641.2	+ 58979.8
EA	17488.1	224 . 35 . 55	E	- 24530.4	+ 60158.8
				Konstant	
				- 153000.0	+ 10767000.0

W. N.



Beskrywing van Bakens.

A. D. E. Klipstapels 3'x3' oor ysterpenne en versekerings merke.

B. Ysterhoekpaal, top rooi geverf, en versekerings merke.

C. Klipstapel 4' grondvlak x 6' hoog en versekerings merke.

Gedeelte 3 (.....)

f'n gedeelte van Gedeelte 1) van die plaas Portion ( )

Honde Blaf Nr 493 (a portion of Portion) of the farm

CARNARVON No .....

CARNARVON

10000 5000 0 10000 20000 Kaapse Voete

Skaal:- 1: 100000

Die figuur A. B C. D. E stel voor 2815.9562 Morge grond, synde GEDEELTE 3 van Hondeblaf Wes, synde daardie gedeelte van Hondeblaf waarna hieronder verwys word gelee in die AFDELING Carnarvon PROVINSIE KAAP die GOEIE HOOP

Opgemeet in November 1938 deur my.

Landmeter.

Hierdie kaart is geheg aan Partition Transfer No. 7062 gedateer 6-7-1939 ten gunste van J. J. Vermeulen

Registrateur van Aktes.

Die oorspronkelike kaart is No. 4084-1938 geheg aan Transport Akte No. 4567 gedateer 5th May 1939 ten gunste van

L.G. Lêer No.S 13768

Opmetingstukke No. E.1840/1938

SIDES Cape	Feet	ANGLES OF DIRECTION		SYSTEM Lo 21° CO-ORDINATES y	x
		Constant		-180000·0	+10830000·0
ab	10,959·6	323·11·6	a	-41,297·9	+10,125·2
bc	14,938·5	324·38·0	b	-47,865·3	+18,899·2
cd	14,684·2	31·0·45	c	-56,511·8	+31,081·0
de	13,522·0	135·13·40	d	-48,946·1	+43,666·2
ef	2,548·2	172·39·20	e	-39,422·6	+34,066·7
fg	14,012·1	178·26·30	f	-39,096·9	+31,539·4
ga	7,844·4	199·13·0	g	-38,715·8	+17,532·5

F

S. G. No. 6275/50

Approved

Surveyor-General.



— Description of Beacons —

a:- Four fencing standards together 4' high.
b:- Cairn 4' diam. 4' high.
c:- Iron corner pole 4' high.
d:- Iron corner pole 5' high.
e:- 5' cairn. 6' base.
f:- ½" round iron peg under 4' cairn.
g:- ½" round iron peg under 3' cairn.

Portion 1 (Geluk)

~~Portion of Portion~~) of the farm

Uitspan-Kolk No 499

CARNARVON

7,500 0 7,500 15,000 22,500 Cape Feet.

Scale 1 : 75000

The figure a.b.c.d.e.f.g.

represents 3771·3528 Morgen *of land being*

portion 1 (called "GELUK") of the farm.

— UITSPAN$KOLK —

situate in the Division of Carnarvon. *Province of Cape of Good Hope.*

Surveyed in July 1950 *by me*

Land Surveyor.

This diagram is	*The original diagram is*	*S. G. File No.*
D.T. No. 20421	No. 1290/1874 annexed to	S.R. No. E. 1546/50.
26-11-51	D/G Car. Q 6-6	Deg. Sht. EK-8
Registrar of Deeds.		

© S.P.C.T.

S.G.No. F 900/1870 No. ~~796/1870.~~ Zoot.8.24

The numerical data of this diagram are sufficiently consistent.

(Sgd.) L. Marquard.

Examiner.



SIDES	Cape Roods	Eng. Feet	ANGLES	o ' "
AB	1269.78	15740.2	A	94.31.40
BC	1424.43	17657.2	B	190.11.30
CD	495.00	6136.0	C	109.54.40
DE	1647.88	20427.2	D	158.19.30
EF	1218.23	15101.2	E	103.56.50
FG	2232.67	27676.2	F	185.48. 0
GH	805.98	9990.9	G	101.35.30
HJ	771.60	9564.7	H	118. 4.20
JA	1996.38	24747.1	J	197.38. 0

Roads and Ravines sketched
Beacons pointed out to H.A.D. Blaauw F.C. Hugo Smith.
Area in English Measure 29850.234 Ac.
Estimated Latitude 30° 15' 30"
Do. Longitude 21° 16' 20"

The farm..Riet.Kops.Kolk....No....25.....

CARNARVON.

The annexed Figure A....J, represents the Crown Land Farm called Riet Kops Kolk containing 14103 Morgen 190 Sq.Roods of Land situate in the Division of Fraserburg, Field-cornetcy of Zak Rivier, and Bounded Nwd. by Jongens Kop

Wwd. by Blink Klip

S.Wwd. by Jackals Kolk

S.Ewd. by Vertrap Kolk and Moffys Dam, and

Ewd. by De Riet.

Surveyed by me,

(Sgd.) Saml. Melvill.

Government Surveyor.

Nov. 1870

Copied from diagram relating to.....Title.....Deed No.Fr.82-26. dated.....23-6-1876.....

for Surveyor-General

17-10-1966.

CHECKED

D.A.J./.B.M.

SIDES CAPE ROODS		ANGLES		CO-ORDINATES		ADDITIONAL FOR TRANSFER	
AB'	2952.67	A	34 3 30	+ 492.86	+ 1738.95	AB	2950.05
B'C'	1733.43	B'	81 2 40	- 1057.55	- 773.89	BC	1731.73
C'D	1010.69	C'	69 39 30	+ 541.38	- 1443.34	CD	1006.88
DA	2174.35	D	175.14 20	+ 583.31	- 433.52	$A\hat{B}C$	81 0 40
Area A B'C'D = 4365 Morgen 103 Square roods						$B\hat{C}D$	69 41 30

PORTION 1 OF
THE FARM
THOMAS PAN No. 38
CARNARVON

The annexed diagram lettered A B C D represents 4356 morgen 246 square roods 0 square feet of land situate in the Field-Cornetcy No. 5 Division of Carnarvon Being Lot S portion of the farm Thomas Pan granted to Johannes Petrus Lehani on the 25th January 1878.

Bounded NW by Remaining Extent
E by Sand Pan
S by Portion of Bottel Put.

Surveyed and beaconed by me according to regulations.

Feb. 1908

(Sgd.) J.F.N.B. Simons
Government Land Surveyor

Copied from diagram relating to D/T 1925-228-10744.

for Surveyor General
Date: 1983-03-15 BCW

EL-3 (5269)

A.J.

F

S.G. Dgm. No. 3809/1923

The numerical data of this Diagram are sufficiently consistent.

Examiner.

Approved
18 Dec. 1923
(Sgd.) F.F. Elliott.
for Surveyor General.



PORTION 1 OF
THE FARM
THOMAS PAN No. 38
CARNARVON

38/1

Art. 84 (vi) Ord. 33 van 1927

SYE Kaapse Voet		RIGTINGS-HOEKE			STELSEL No. L° 21 KO-ORDINATE		
					y	x	
					-100000·0	+10620000·0	
AB	18912·3	235	9	52	A -32733·1	+75694·6	
BC	10192·2	232	13	50	B -48256·2	+64891·5	
CD	15693·8	11	8	5	C -56312·9	+58649·0	
DE	11259·7	22	41	31	D -53282·2	+74047·4	
EF	11066·4	78	0	58	E -48938·5	+84435·5	
FA	12280·0	154	0	57	F -38113·3	+86733·3	
		Groot Kolk I			Δ -49568·5	+76146·9	

L. G. No. 2035/41

Goedgekeur

C. M. Walton

Landmeter-generaal.



Beskrywing van Bakens.

A B en F is ysterhoekpale
C D is klipstapels 3' x 3' oor ysterpenne
E is 'n klipstapel 3' x 3'

Gedeelte 4 (Grootkolk)
('n ~~gedeelte van Gedeelte~~) van
Groot Kolk Nr. 57
CARNARVON

10000 0 10000 20000 30000 Kaapse Voet.
Skaal. 1 : 100 000

Die figuur A B C D E F
stel voor 3702·1724 Morge grond synde

Gedeelte 4 (Grootkolk A)

van die Plaas GROOT KOLK

geleë in die Afdeling CARNARVON Provinsie Kaap die Goeie Hoop.

Opgemeet in Mei 1941 deur my

Landmeter.

Hierdie Kaart is geheg aan Akte Verdelings Kort Transport No. 164, gedateer 14.1.1942. ten gunste van A.W.J. van Wyk.

Registrateur van Aktes.

Die oorspronklike Kaart is 785/1870 geheg aan Car. Q. 7. 28 Car. L. 1. 32.

L. G. Leer No. S. 15052
Meetstukke No. E. 630/41
Sheets EK 38-4
EK 39-3
DÖV.

S. EN S. DRUK. KAAPSTAD.

57/4

Art. 84 (vi) Ord. 33 van 1927

SYE Kaapse Voet		RIGTINGS-HOEKE			STELSEL No. L° 21 KO-ORDINATE		
					y	x	
					-100000·0	+10620000·0	
AB	18912·3	235	9	52	A -32733·1	+75694·6	
BC	10192·2	232	13	50	B -48256·2	+64891·5	
CD	15693·8	11	8	5	C -56312·9	+58649·0	
DE	11259·7	22	41	31	D -53282·2	+74047·4	
EF	11066·4	78	0	58	E -48938·5	+84435·5	
FA	12280·0	154	0	57	F -38113·3	+86733·3	
		Groot Kolk I			Δ -49568·5	+76146·9	

L. G. No. 2035/41

Goedgekeur

C. M. Walton

Landmeter-generaal.



Beskrywing van Bakens.

A B en F is ysterhoekpale
C D is klipstapels 3' x 3' oor ysterpenne
E is 'n klipstapel 3' x 3'

Gedeelte 4 (Grootkolk)
('n ~~gedeelte van Gedeelte~~) van
Groot Kolk Nr. 57
CARNARVON

10000 0 10000 20000 30000 Kaapse Voet.
Skaal. 1 : 100 000

Die figuur A B C D E F
stel voor 3702·1724 Morge grond synde

Gedeelte 4 (Grootkolk A)

van die Plaas GROOT KOLK

geleë in die Afdeling CARNARVON Provinsie Kaap die Goeie Hoop.

Opgemeet in Mei 1941 deur my

Landmeter.

Hierdie Kaart is geheg aan Akte Verdelings Kort Transport No. 164, gedateer 14.1.1942. ten gunste van A.W.J. van Wyk.

Registrateur van Aktes.

Die oorspronklike Kaart is 785/1870 geheg aan Car. Q. 7. 28 Car. L. 1. 32.

L. G. Leer No. S. 15052
Meetstukke No. E. 630/41
Sheets EK 38-4
EK 39-3
DÖV.

S. EN S. DRUK. KAAPSTAD.

57/4

S.G. Dgm. No. 314/1894

F 314/1894

Part 2:(For Figure see Part 1)

Sides Data according to Beacons			Angles ° ' "		Co-ordinates	
ab	1727.90	a	65.48.20	a	- 1325.65	- 934.50
bc	1352.25	b	99.53. 0	b	- 2082.34	+ 618.89
cd	1607.49	c	62.49.40	c	- 986.35	+ 1410.94
de	106.36	d	152.11.40	d	- 743.70	- 178.12
ea	854.12	e	159.17.20	e	- 778.54	- 278.61

Area 2868 Morgen 327½ Square Roods.

Data for Transfer Sides		Angles	
a'b'	1731.59	a'	131.19.30
b'c'	1355.98	b'	99.51.40
c'd'	1614.23	c'	62.51.10
de	106.36	d	152.11.40
ea''	853.24	e	159.17.20
d'a'	3.55	a''	114.28.40

The above diagram lettered a'.b'.c'.d.e.d'.a'. represents 2888 Morgen 62 Square Roods of Land, situated in the Division of Carnarvon Fieldcornetcy of Number 5 being the farm called "Moffys Dam" originally granted to C.P. Pieters and others on the 18th September 1891 and last transferred to

Bounded NW by Remaining extent
SE " Groot Kolk
E " Isaac's Kolk
W " Remaining extent

Surveyed by me,

(Sgd) Garwood Alston.
Government Surveyor.

Portion ( ) of the
No
CARNARVON

Transfer ___ 878

25th February 1895

Christoffel P. Pieters.

M.J.
58/3

F. 314/1894

The numerical data of this diagram are sufficiently consistent.
S.G. Dgm. No. 314/1894 (Sgd) J.J. Bosman.
Examiner.

Part 1:(For data see Part 2)

NB The discrepancy between diagrams of original Survey and present Survey is too small to show on this diagram.



Portion 3 (.....)
(a portion of Portion .....) of the farm
Maffy's Dam No 58
CARNARVON

Scale 300 Cape Roods - 1 Inch.

Transfer — 878
25th February 1895
Christoffel P. Pieters.

28

M.J.
58/3

ONDERVERDELINGSKAART
Art. 24 (b),, Wet No, 9 van 1927

F

L. G. No. 6282/44
Kol. 1

Goedgekeur.

Asst. Landmeter-generaal.

11 - 1 - 1945

SYE Kaapse Voet		RIGTINGS-HOEKE	STELSEL L° 21° KO-ORDINATE y	x
			Konstant - 100,000·0	+ 10,690,000·0
AB	11066 · 4	258 . 0 . 58	A - 38113 · 3	+ 16733 · 3
BC	17520 · 8	299 . 35 . 26	B - 48938 · 5	+ 14435 · 5
CD	16024 · 4/8	87 . 38 . 38	C - 64174 · 2	+ 23087 · 2
DE	3843 · 0	31 . 46 . 40	D - 54387 · 3	+ 35775 · 5
EF	19882 · 6	132 . 47 . 49	E - 52363 · 4	+ 39042 · 4
FA	8807 · 3	182 . 12 . 20	F - 37774 · 2	+ 25534 · 1
			Jagpan Δ - 50737 · 8	+ 28364 · 4



Beskrywing van Bakens

A.C.D. Yster hoekpale.

B. Klipstapel.

E. Geplante klip.

F. Klipstapel oor 'n yster pen.

Gedeelte 1 (.....)

('n gedeelte van Gedeelte .....) van die plaas

Jagt Pan Nr. 62

CARNARVON

10,000 5000 0 10,000 20,000 30,000 Kaapse Voet

Skaal 1 : 100,000

Die figuur A.B.C.D.E.F.

stel voor 4318·2886 Morge *grond, synde*

Gedeelte 1 van die plaas JAGT PAN

geleë in die Afdeling Carnarvon *Provinsie Kaap die Goeie Hoop*

Opgemeet in Nov. 1944 *deur my*

Landmeter.

Hierdie kaart is geheg aan D/T. No° 579 Dated. 24/1/1945 I.f.o. [illegible] Nortje.

Registrateur van Aktes.

Die oorspronklike kaart is No. 784/1870 geheg aan G/B. Fr.Q.2.1

L. G. Lêer No. M.S. No. E. 1722/44 Fr. L.3.195 Valle EK-34.5.C

62/1
B.S.P.C.T.

6083

F

6083

SG. 2407/1858

AREA	Morgen	
CAREE KOLK	22,565	30
BRAK	14,855	100
CAREE GRAF	25,202	340
OORLOGS HOEK	15,220	310



GENERAL PLAN OF FOUR FARMS

Situated in the F.C. of Fred Westhuisen

Division of Victoria (West) CARNARVON

1858 Surveyed by me

J. S. Smaill

Govt. Surveyor

CARNARVON Div.

Numbered under the Provisions of the Deeds Registries Act No. 47 of 1937.

for SURVEYOR-GENERAL.

NOTING PLAN CARNARVON DIVISION

DEGREE SHEET EL.5.EK6

REGISTRATION

FOR LOCALITY SEE NOTING PLAN CARNARVON

1098

BARCRO NEGATIVE FILED 27/4/88

F

REFERENCE

SIDES		ANGLES	
ab =	3882. 56	a =	39. 5. 0
bc =	1869. 39	b =	180 46. 50
cd =	1356. 82	c =	179. 51. 0
de =	926. 57	d =	62. 1. 50
ef =	2356. 65	e =	154. 17. 50
fg =	1833. 93	f =	157. 48. 30
gh =	1315. 25	g =	113. 8. 0
hi =	1145. 21	h =	136. 30. 40
ia =	2756. 74	i =	216. 32. 20



The above diagram lettered abcdefghi represents 22.545 morgen and 30 square roods of land situate in the Field Cornetcy of No 4 ~~A.P. van de Westhuizen~~. Division of Victoria West now Carnarvon
Bounded North East by Brak and Carels Graf
South by Schiet Fontein
West by Jagers Berg and
North West by Plaar de Vlei.

folio 62.

J. A. Smaith
Gov't Surveyor

The numerical data of this diagram are sufficiently considered
C. Maynard

No. 637. 1869

For list of deductions see back of diagram

THE FOLLOWING DEDUCTIONS HAVE BEEN MADE FROM THIS DIAGRAM.

Survey Records.	Diag. No.	Subdivision.	Area. Mor.	Sq. R.	Sq. Ft.	Deed.
	11858/1917	Lot A (74/1) (74/2)	589	478	–	1926 - 90 - 4243
E 139/1933	514/1933	Luckhoff (Portion 2)	1087	–	41220	1933 - 49 - 2547
E 150/1936	4454/1936	Villiersrust (74/3)	6277.0419	–	–	1937 - 77 - 4413

Dgm. No. F 65/1870

The numerical data of this diagram are sufficiently consistent.

(Sgd.) L. Marquard

Examiner.

SIDES			ANGLES			
	Cape Roods	Eng.Feet				
AB	1897.85	23525.7	A	107°	44'	50"
BC	1612.19	19984.7	B	91	51	30
CD	868.86	10770.4	C	185	8	10
DE	1508.20	18695.6	D	95	52	20
EF	585.67	7259.9	E	117	39	50
FG	486.48	6030.4	F	119	36	50
GH	784.00	9718.5	G	282	26	20
HJ	697.98	8652.2	H	93	8	10
JA	1165.05	14442.0	J	166	32	0

N.B. Roads and Ravines sketched.-

Beacons pointed out to Field Cornet E.G. Devenish

The farm.....Waterval.....No.497.....

CARNARVON

The figure A.....J represents the Crown Land farm called Waterval en Krans Fontein, Containing 9046 Morgen 190 Sq. Roods, (Equal to 19146.9 Acres) situated in the Division of Fraserburg,Now Carnarvon, Field Cornetcy of Zak River, Now No. 3, and

Bounded N^wd. by Pofadder's Fontein,
W^wd. by Blaauw Heuvel,
S.W^wd. by Rooi Hoogte,
S^wd. by Rooi Vlei, and
E^wd. by Stuurman's Fontein.

Surveyed by me,

(Sgd.) Sam Melvill.

Government Surveyor.

Dec. 1869

Copied from diagram relating to Title Deed No Car.Q.1-2
dated 8.9.1880
for Surveyor-General
14.11.1967

SHEET EK-7
SHEET EK-8

EL/VB.





For list of deductions see back of diagram

THE FOLLOWING DEDUCTION HAVE BEEN MADE FROM THIS DIAGRAM.

Survey Records.	Diag. No.	Sub	Area. Morg.	Sq.Rds.	Deed.
	A2137/1916	Nieuwe Uitzicht	3008	92	20.5.1918 No.4536

The numerical data of this diagram are sufficiently consistent

(sgd.) L. Marquard.
Examiner

F S. G. Dgm. Nº 1290/1874.

SIDES	Cape Roods	ANGLES	°	'	"
AB	987	A	98	28	40
BC	1156·97	B	106	47	40
CD	741·87	C	172	42	30
DE	388·11	D	214	13	0
EF	1108·14	E	162	10	50
FG	1227·28	F	75	45	50
GH	1246·22	G	113	40	20
HI	914·38	H	178	34	50
IA	1606·64	I	137	36	20



The above Diagram, lettered A.B.C.D.E.F.G.H.I., represents 7677 Morgen 90 Square Roods of Crown Land, called UITSPAN - KOLK situated in the Field-cornetcy of 3, Division of Carnarvon.

Extending:–

	NORTH	to Willem - Meintjes - Kloof
	NORTH - EAST	to Schiet - kolk, & Wit - Gras.
	EAST - SOUTH - EAST	to Karree - Kloof alias Tamboer - Fontein
	SOUTH - WEST	to Stuurmans - Fontein & 't Kokoboos.
	WEST - NORTH - WEST	to Hondeblaf

Framed from Actual Survey, by me
(sgd.) M. P. Auret.
Government Land Surveyor.

Copied from the diagram relating to
.....Title Deed No. Car Q. 6. 6.....
dated 15th June, 1891 .....in favour of
Christiaan T. O. Mans.
.....
for SURVEYOR-GENERAL,
CAPE TOWN.
28/11/1950.

1906 / 1950

Beacons pointed out to Jacob Casper Kruger (actg Field Cornet) & to Abel Erasmus.
Estimated Latitude of Centre = 30° 49' 10" S.
Do Longitude do = 21° 39' 50" E.

For list of deductions see back of diagram

The following deductions have been made from this diagram.

Survey Records.	Diag. No.	Subdivision. 499/1	Area. Morgen.	Sq. Feet	Transfer	A
E.1546/50	6275/1950	~~Portion 1~~	3771.3528.	0	20421/'51.	~~955.29~~ 11.57

F

No. 549/1859.

The sides, angles and area of this diagram are sufficiently consistent.
(Sgd.) L. Marquard.
Ex.

The Farm BITTER POORT No. 576
CARNARVON

The annexed Diagram bordered green, represents 14,430 Morgen 580 Sq. Roods of Crown Land, called

"B I T T E R P O O R T"

situate in the Division of Victoria West.

Extending North to Boezaks Vlei,
East to Bottel Put,
South to Brak,
South West to Paarde Vlei &
North West to Dwaal Berg.

Framed from actual Survey by us,
(Sgd.) J.A. Thwaite.
(Sgd.) J.W. du T. Melvill.
Govt. Surveyors.
Oct. 1858.

Copied from diagram relating to Title Deed No. V.W.Q.4-27 dated 10.9.1874
for Surveyor-General
3.5.1968.

SHEET EL-5

D.A.J.



576

Lutz & van Zyl Diagram vir verenigde Stel

KOMPONENTE:

(1.) Die figuur A B s2 I2 D2 E2 F2
synde Gedeelte 3 van die Plaas Stuurmans Fontein No. 498
Volgens Diagram LG No. F1886/1939
Geheg aan Transportakte No. 401/1940

(2.) Die figuur s2 C D E F G H J K L M N P Q R S T U V W X Y Z A1 B1 C1 D1 E1 F1 G1 H1 J1 K1 L1 M1 N1 P1 Q1 R1 S1 T1 U1 V1 W1 X1 Y1 Z1 A2 B2 C2 I2
synde Gedeelte 4 van die Plaas Stuurman Fontein No. 498
Volgens Diagram LG No. 1034/2013
Geheg aan

L.G. No.
1036/2013
Goedgekeur

nms.
LANDMETER-
GENERAAL
27/07/2013

Skaal 1/ 10000

L.G.No. 1036/2013

Ged.1 van Potsdorfontein No.494

Ged.3 van Honde Blat No.493

Ged. 1 van Waterval No.497

Ged.2 van Honde Blat No.493

Rest. van Uitspan-Kolk No.499

Sien Inlae No. 1

Inlae No. 1
Skaal 1:1500

Gedeelte 5 van
Stuurmans Fontein No.498

Die figuur
A B C D E F G H J K L M N P Q R S T U V W X Y Z A1 B1 C1 D1 E1 F1 G1 H1 J1 K1 L1 M1 N1 P1 Q1 R1 S1 T1 U1 V1 W1 X1 Y1 Z1 A2 B2 C2 D2 E2 F2

stel voor 2142,9733 Hektaar grond, synde
Die Plaas Jagterskloof No.593
en bevat (1.) en (2.) hierbo aangehaal
Gelee in die Munisipaliteit Kareeberg
Administratiewe Distrik Carnarvon
Provinsie Noord Kaap

Saamgestel in Augustus 2013 deur my,

PLS 0807 H.G. van Zyl
Professionele Landmeter

Hierdie Diagram is geheg aan No. T 77737/2014 ged. 14/8/2014 S.G.K. Registrateur van Aktes	Die oorspronklike Diagramme is soos hierbo aangehaal.	Leër No. CARN 498 M.S. No. Saamgestel Komp EK-8 (5266)

The sides, angles and area of this diagram are mutually consistent.
(Sgd.) L. Marquard,
Ex.
Feb. 24, 1859.

The Diagram bordered green represents 13728 Morgen 570 Sq. Roods of Crown Land called "Kareekloof" situate in the Division of Carnarvon Ward No.3

Extending North East to Jagersberg
South & West " Govt. Land
and North West to Blaauwpoort

Framed from actual Survey by us,
(Sgd.) J.A.Thwaits,
(Sgd.) J.W.du T.Melvill,
Govt. Surveyors.
Octr. 1858.

Sheet EK-6

Copied from diagram relating
Title Car.Q.1-12
to.....Deed No.....
16.2.1882
dated.....
for Surveyor-General
7.12.1967

AS/JCM

F
Dgm.No. 544/1859



The Farm...Kareekloof.....No...490.....
CARNARVON

No. 490

OIB: VOLGENDE AFTREKKINGS IS VAN HIERDIE KAART GEDOEN

MEET-STUKNR.	KAARTNO.	ONDERVERDELING	GROOTTE HA/WK. M.	AKTENO.	CERARA-REGER	RESTANT
E192/89	5633/89	GED. 1				